

TRAUMA-INFORMED ABORTION CARE:

Pre- and post- training survey

INSTRUCTIONS: Please respond below based on your current knowledge and attitudes. Please circle only **one response** for each question.

1. True or False. One-third of women worldwide will experience physical and/or sexual violence by a partner or a non-partner at some point in their lives.
2. True or False. Abortion is often overlooked in the care and treatment of survivors of sexual violence.
3. True or False. Approximately 1 in 5 refugee and displaced women experience sexual violence.
4. True or False. Gender-based violence is linked to many poor health consequences, including unwanted pregnancy, unsafe abortion, and maternal mortality.
5. True or False. According to the Minimum Initial Service Package and the Inter-Agency Field Manual for Sexual and Reproductive Health in Crisis, abortion services are a critical component of caring for survivors of sexual assault.
6. True or False. Abortion providers are mandated to report incidents of sexual violence to police in humanitarian crises.
7. True or False. The role of abortion providers is to push their clients to disclose their experience with sexual violence.
8. True or False. Abortion providers should utilize the LIVES method and trauma-informed practices for all women regardless of their choice to disclose or not to disclose their sexual violence or trauma.
9. True or False. Abortion providers should not receive informed consent from the client to provide abortion care or referrals for other services
10. True or False. Most countries in the world have at least one indication for abortion.

11. True or False. The WHO encourages health workers to raise the topic of violence with all women and girls.
12. True or False. The WHO LIVES method describes how to assess physical injuries due to sexual violence.
13. True or False. Allowing the client to have someone accompany them during an exam, if they wish, is one of the 10 steps of trauma-informed care.
14. True or False. It is important that all health, social and psychological services are provided in one facility to best meet sexual assault survivors' needs.
15. True or False. "Doing no harm" is an expression that conveys the need not to pressure clients to disclose information when they are not ready.

The remaining questions relate to your current practices before and after this training. Please circle the number on the scale that best fits whether you strongly agree, agree, are unsure/don't know, disagree, or strongly disagree with each statement.

16. I feel confident and comfortable assisting with and/or providing trauma-informed care.

Strongly Disagree	Disagree	Unsure / Don't Know	Agree	Strongly Agree
1	2	3	4	5

17. I feel comfortable asking patients about their experience of gender-based violence.

Strongly Disagree	Disagree	Unsure / Don't Know	Agree	Strongly Agree
1	2	3	4	5

18. I know when and how to report incidences of physical or sexual violence among my patients.

Strongly Disagree	Disagree	Unsure / Don't Know	Agree	Strongly Agree
1	2	3	4	5

19. It is important that providers be aware of their own mental, physical and emotional health when caring for survivors of gender-based violence.

Strongly Disagree	Disagree	Unsure / Don't Know	Agree	Strongly Agree
1	2	3	4	5

20. I know how to identify burnout or trauma in myself or other providers that offer sexual reproductive health or abortion care services

Strongly Disagree	Disagree	Unsure / Don't Know	Agree	Strongly Agree
1	2	3	4	5